



## References

- 
- [Ada62] J.F. Adams, *Vector fields on spheres*, Ann. of Math. (2) **75** (1962), 603–632.
- [Akh65] N.I. Akhiezer, *The Classical Moment Problem and Some Related Questions in Analysis*, Oliver & Boyd, Edinburgh, 1965, translated by N. Kemmer from the Russian *Klassicheskaya Problema Momentov i Nekotorye Voprosy Analiza, Svyazannye s Neyu*, Gosudarstvennoe Izdatel'stvo Fiziko-Matematicheskoi Literatury, Moscow, 1961.
- [AlUn96] A. Aldroubi and M. Unser (eds.), *Wavelets in Medicine and Biology*, CRC Press, Boca Raton, FL, 1996.
- [Alf71] E.M. Alfsen, *Compact Convex Sets and Boundary Integrals*, Ergebnisse der Mathematik und ihrer Grenzgebiete, vol. 57, Springer-Verlag, New York, 1971.
- [Apo76] T.M. Apostol, *Introduction to Analytic Number Theory*, Undergraduate Texts in Mathematics, Springer-Verlag, New York, 1976.
- [Arv69] W. Arveson, *Subalgebras of  $C^*$ -algebras*, Acta Math. **123** (1969), 141–224.
- [Aus95] P. Auscher, *Solution of two problems on wavelets*, J. Geom. Anal. **5** (1995), 181–236.
- [AyBa01] B. Ayulu and B. Barshan, *Neural networks for improved target differentiation and localization with sonar*, Neural Networks **14** (2001), 355–373.

- [Bag90] L.W. Baggett, *Processing a radar signal and representations of the discrete Heisenberg group*, Colloq. Math. **60/61** (1990), 195–203.
- [BaLa99] L.W. Baggett and D.R. Larson (eds.), *The Functional and Harmonic Analysis of Wavelets and Frames: Proceedings of the AMS Special Session on the Functional and Harmonic Analysis of Wavelets Held in San Antonio, TX, January 13–14, 1999*, Contemp. Math., vol. 247, American Mathematical Society, Providence, 1999.
- [BaMe99] L.W. Baggett and K.D. Merrill, *Abstract harmonic analysis and wavelets in  $\mathbb{R}^n$* , The Functional and Harmonic Analysis of Wavelets and Frames (San Antonio, 1999) (L.W. Baggett and D.R. Larson, eds.), Contemp. Math., vol. 247, American Mathematical Society, Providence, 1999, pp. 17–27.
- [Bal00] V. Baladi, *Positive Transfer Operators and Decay of Correlations*, World Scientific, River Edge, NJ, Singapore, 2000.
- [BBC+95] A. Barenco, C.H. Bennett, R. Cleve, D.P. DiVincenzo, N. Margolus, P. Shor, T. Sleator, J.A. Smolin, and H. Weinfurter, *Elementary gates for quantum computation*, Phys. Rev. A **52** (1995), 3457–3467.
- [BBGK71] V. Bargmann, P. Butera, L. Girardello, and J.R. Klauder, *On the completeness of the coherent states*, Rep. Math. Phys. **2** (1971), 221–228.
- [Bek01] B. Bekka, *Square integrable representations, von Neumann algebras and an application to Gabor analysis*, Metz preprint, 2001.
- [BDMT98] G.P. Berman, G.D. Doolen, R. Mainieri, and V.I. Tsifrinovich, *Introduction to Quantum Computers*, World Scientific, Singapore, 1998.
- [Bes55] A.S. Besicovitch, *Almost Periodic Functions*, Dover, New York, 1955, first edition, Cambridge University Press, 1932.
- [BBH94] F. Bethuel, H. Brezis, and F. Hélein, *Ginzburg-Landau Vortices*, Progress in Nonlinear Differential Equations and their Applications, vol. 13, Birkhäuser, Boston, MA, 1994.
- [BDW96] A. Bonami, S. Durand, and G. Weiss, *Wavelets obtained by continuous deformations of the Haar wavelet*, Rev. Mat. Iberoamericana **12** (1996), 1–18.
- [BGRW99] L. Brandolini, G. Garrigós, Z. Rzeszotnik, and G. Weiss, *The behaviour at the origin of a class of band-limited wavelets*, The Functional and Harmonic Analysis of Wavelets and Frames (San Antonio, 1999) (L.W.

- Baggett and D.R. Larson, eds.), *Contemp. Math.*, vol. 247, American Mathematical Society, Providence, 1999, pp. 75–91.
- [BEJ00] O. Bratteli, D.E. Evans, and P.E.T. Jorgensen, *Compactly supported wavelets and representations of the Cuntz relations*, *Appl. Comput. Harmon. Anal.* **8** (2000), 166–196.
- [BrJo97b] O. Bratteli and P.E.T. Jorgensen, *Isometries, shifts, Cuntz algebras and multiresolution wavelet analysis of scale  $N$* , *Integral Equations Operator Theory* **28** (1997), 382–443.
- [BrJo98a] O. Bratteli and P.E.T. Jorgensen, *A connection between multiresolution wavelet theory of scale  $N$  and representations of the Cuntz algebra  $\mathcal{O}_N$* , *Operator Algebras and Quantum Field Theory (Rome, 1996)* (S. Doplicher, R. Longo, J.E. Roberts, and L. Zsidó, eds.), International Press, 1998, pp. 151–155.
- [BrJo99b] O. Bratteli and P.E.T. Jorgensen, *Convergence of the cascade algorithm at irregular scaling functions*, *The Functional and Harmonic Analysis of Wavelets and Frames (San Antonio, 1999)* (L.W. Baggett and D.R. Larson, eds.), *Contemp. Math.*, vol. 247, American Mathematical Society, Providence, 1999, pp. 93–130.
- [BrJo01a] O. Bratteli and P.E.T. Jorgensen, *Wavelet filters and infinite-dimensional unitary groups*, *Proceedings of the International Conference on Wavelet Analysis and Applications (Guangzhou, China, 1999)* (D. Deng, D. Huang, R.-Q. Jia, W. Lin, and J. Wang, eds.), International Press, Boston, 2001, pp. 35–64.
- [BrRoI] O. Bratteli and D.W. Robinson, *Operator Algebras and Quantum Statistical Mechanics*, 2nd ed., vol. I, Springer-Verlag, Berlin–New York, 1987.
- [BreJo91] B. Brenken and P.E.T. Jorgensen, *A family of dilation crossed product algebras*, *J. Operator Theory* **25** (1991), 299–308.
- [Bre97] H. Brezis, *Degree theory: Old and new*, *Topological Nonlinear Analysis, II: Degree, Singularity and Variations (Frascati, 1995)* (M. Matzeu and A. Vignoli, eds.), *Progress in Nonlinear Differential Equations and Their Applications*, vol. 27, Birkhäuser, Boston, 1997, pp. 87–108.
- [Bri95] C.M. Brislawn, *Fingerprints go digital*, *Notices Amer. Math. Soc.* **42** (1995), 1278–1283.
- [BDG01] M.D. Buhmann, O. Davydov, and T.N.T. Goodman, *Box spline prewavelets of small support*, *J. Approx. Theory* **112** (2001), 16–27.

- [CHM99] C. Cabrelli, C. Heil, and U. Molter, *Self-similarity and multiwavelets in higher dimensions*, preprint, 1999, Georgia Institute of Technology, Atlanta.
- [CRSS98] A.R. Calderbank, E.M. Rains, P.W. Shor, and N.J.A. Sloane, *Quantum error correction via codes over  $GF(4)$* , IEEE Trans. Inform. Theory **44** (1998), 1369–1387.
- [CaDo00] E.J. Candès and D.L. Donoho, *Curvelets and reconstruction of images from noisy Radon data*, Wavelet Applications in Signal and Image Processing VIII (A. Aldroubi, A.F. Laine, and M.A. Unser, eds.), Proceedings of SPIE, vol. 4119, Society of Photo-optical Instrumentation Engineers, Bellingham, WA, 2000, pp. 108–117.
- [Can99] E.J. Candès, *Harmonic analysis of neural networks*, Appl. Comput. Harmon. Anal. **6** (1999), 197–218.
- [CDM91] A.S. Cavaretta, W. Dahmen, and C.A. Micchelli, *Stationary subdivision*, Mem. Amer. Math. Soc. **93** (1991), no. 453.
- [ChEf77] M.D. Choi and E.G. Effros, *Injectivity and operator spaces*, J. Funct. Anal. **24** (1977), 156–209.
- [Chu92] C.K. Chui, *An Introduction to Wavelets*, Wavelet Analysis and Its Applications, vol. 1, Academic Press, Boston, 1992.
- [Coh90] A. Cohen, *Ondelettes, analyses multirésolutions et filtres miroirs en quadrature*, Ann. Inst. H. Poincaré Anal. Non Linéaire **7** (1990), 439–459.
- [CoDa96] A. Cohen and I. Daubechies, *A new technique to estimate the regularity of refinable functions*, Rev. Mat. Iberoamericana **12** (1996), 527–591.
- [CDF92] A. Cohen, I. Daubechies, and J.-C. Feauveau, *Biorthogonal bases of compactly supported wavelets*, Comm. Pure Appl. Math. **45** (1992), 485–560.
- [CDV93] A. Cohen, I. Daubechies, and P. Vial, *Wavelets on the interval and fast wavelet transforms*, Appl. Comput. Harmon. Anal. **1** (1993), 54–81.
- [CGV99] A. Cohen, K. Gröchenig, and L.F. Villemoes, *Regularity of multivariate refinable functions*, Constr. Approx. **15** (1999), 241–255.
- [CoRy95] A. Cohen and R.D. Ryan, *Wavelets and Multiscale Signal Processing*, Applied Mathematics and Mathematical Computation, vol. 11, Chapman & Hall, London, 1995.

- [CMW95] R.R. Coifman, Y. Meyer, and V. Wickerhauser, *Numerical harmonic analysis*, Essays on Fourier Analysis in Honor of Elias M. Stein (Princeton, 1991) (C. Fefferman, R. Fefferman, and S. Wainger, eds.), Princeton Mathematical Series, vol. 42, Princeton University Press, Princeton, NJ, 1995, pp. 162–174.
- [CoWi93] R.R. Coifman and M.V. Wickerhauser, *Wavelets and adapted waveform analysis: A toolkit for signal processing and numerical analysis*, Different Perspectives on Wavelets (San Antonio, TX, 1993) (I. Daubechies, ed.), Proc. Sympos. Appl. Math., vol. 47, American Mathematical Society, Providence, 1993, pp. 119–153.
- [CoHe92] D. Colella and C. Heil, *The characterization of continuous, four-coefficient scaling functions and wavelets*, IEEE Trans. Inform. Theory **38** (1992), 876–881.
- [CoHe94] D. Colella and C. Heil, *Characterization of scaling functions: Continuous solutions*, SIAM J. Matrix Anal. Appl. **15** (1994), 496–518.
- [CHR97] J.-P. Conze, L. Hervé, and A. Raugi, *Pavages auto-affines, opérateurs de transfert et critères de réseau dans  $\mathbb{R}^d$* , Bol. Soc. Brasil. Mat. (N.S.) **28** (1997), 1–42.
- [CoRa90] J.-P. Conze and A. Raugi, *Fonctions harmoniques pour un opérateur de transition et applications*, Bull. Soc. Math. France **118** (1990), 273–310.
- [CoMa95] C.C. Cowen and B.D. MacCluer, *Composition Operators on Spaces of Analytic Functions*, Studies in Advanced Mathematics, CRC Press, Boca Raton, FL, 1995.
- [CoDo78] M.J. Cowen and R.G. Douglas, *Complex geometry and operator theory*, Acta Math. **141** (1978), 187–261.
- [Cun77] J. Cuntz, *Simple  $C^*$ -algebras generated by isometries*, Comm. Math. Phys. **57** (1977), 173–185.
- [DaLa98] X. Dai and D.R. Larson, *Wandering vectors for unitary systems and orthogonal wavelets*, Mem. Amer. Math. Soc. **134** (1998), no. 640.
- [Dau92] I. Daubechies, *Ten Lectures on Wavelets*, CBMS-NSF Regional Conf. Ser. in Appl. Math., vol. 61, SIAM, Philadelphia, 1992.
- [Dau95] I. Daubechies, *Using Fredholm determinants to estimate the smoothness of refinable functions*, Approximation Theory VIII (College Station, TX, 1995), Vol. 2: Wavelets and Multilevel Approximation (C.K. Chui and L.L.

- Schumaker, eds.), *Series in Approximations and Decompositions*, vol. 6, World Scientific, River Edge, NJ, 1995, pp. 89–112.
- [DGM86] I. Daubechies, A. Grossmann, and Y. Meyer, *Painless nonorthogonal expansions*, *J. Math. Phys.* **27** (1986), 1271–1283.
- [DaSw98] I. Daubechies and W. Sweldens, *Factoring wavelet transforms into lifting steps*, *J. Fourier Anal. Appl.* **4** (1998), 247–269.
- [DaDo02] K.R. Davidson and A.P. Donsig, *Real Analysis with Real Applications*, Prentice Hall, Upper Saddle River, NJ, 2002.
- [deR56] G. de Rham, *Sur une courbe plane*, *J. Math. Pures Appl.* (9) **35** (1956), 25–42.
- [Deu97] D. Deutsch, *The Fabric of Reality*, Allen Lane, Penguin, New York, 1997.
- [DjVa94] I. Djokovic and P.P. Vaidyanathan, *Results on biorthogonal filter banks*, *Appl. Comput. Harmon. Anal.* **1** (1994), 329–343.
- [DGH00] V. Dobrić, R. Gundy, and P. Hitczenko, *Characterizations of orthonormal scale functions: A probabilistic approach*, *J. Geom. Anal.* **10** (2000), 417–434.
- [Dol98] D. Dolgopyat, *On decay of correlations in Anosov flows*, *Ann. of Math.* (2) **147** (1998), 357–390.
- [DGH95] G.C. Donovan, J.S. Geronimo, and D.P. Hardin, *A class of orthogonal multiresolution analyses in 2D*, *Mathematical Methods for Curves and Surfaces* (Ulvik, 1994) (M. Dæhlen, T. Lyche, and L.L. Schumaker, eds.), Vanderbilt University Press, Nashville, 1995, pp. 99–110.
- [DLLP01] N. Dyn, D. Leviatan, D. Levin, and A. Pinkus (eds.), *Multivariate Approximation and Applications*, Cambridge University Press, Cambridge, England, 2001.
- [EfSt79] E.G. Effros and E. Størmer, *Positive projections and Jordan structure in operator algebras*, *Math. Scand.* **45** (1979), 127–138.
- [EMOT81I] A. Erdélyi, W. Magnus, F. Oberhettinger, and F.G. Tricomi, *Higher Transcendental Functions, Vol. I*, Robert E. Krieger, Melbourne, FL, 1981, with a preface by M. Rees and a foreword by E.C. Watson, reprint of the McGraw-Hill 1953 original, based on notes left by Harry Bateman.

- [EvKa98] D.E. Evans and Y. Kawahigashi, *Quantum Symmetries on Operator Algebras*, Oxford Mathematical Monographs, Oxford Science Publications, The Clarendon Press, Oxford University Press, New York, 1998.
- [FeSt98] H.G. Feichtinger and T. Strohmer (eds.), *Gabor Analysis and Algorithms: Theory and Applications*, Applied and Numerical Harmonic Analysis, Birkhäuser, Boston, 1998.
- [Fey86] R.P. Feynman, *Quantum mechanical computers*, Found. Phys. **16** (1986), 507–531.
- [Fey99] R.P. Feynman, *Feynman Lectures on Computation*, Perseus, Reading, MA, 1999, edited by A.J.G. Hey and R.W. Allen.
- [FiWi99] A. Fijany and C.P. Williams, *Quantum wavelet transforms: Fast algorithms and complete circuits*, Quantum Computing and Quantum Communications (Palm Springs, CA, 1998) (C.P. Williams, ed.), Lecture Notes in Computer Science, vol. 1509, Springer, Berlin, 1999, pp. 10–33.
- [Fre00] M.H. Freedman, *Poly-locality in quantum computing*, preprint, Mar. 17, 2000, arXiv:quant-ph/0001077 .
- [Gar99] G. Garrigós, *Connectivity, homotopy degree, and other properties of  $\alpha$ -localized wavelets on  $\mathbb{R}$* , Publ. Mat. **43** (1999), 303–340.
- [Ger00] N. Gershenfeld, *The Physics of Information Technology*, Cambridge Series on Information and the Natural Sciences, Cambridge University Press, Cambridge, 2000.
- [GMW94] T.N.T. Goodman, C.A. Micchelli, and J.D. Ward, *Spectral radius formulas for subdivision operators*, Recent Advances in Wavelet Analysis (L.L. Schumaker and G. Webb, eds.), Wavelet Anal. Appl., vol. 3, Academic Press, Boston, 1994, pp. 335–360.
- [Got96] D. Gottesman, *Class of quantum error-correcting codes saturating the quantum Hamming bound*, Phys. Rev. A (3) **54** (1996), 1862–1868.
- [GKP01] D. Gottesman, A. Kitaev, and J. Preskill, *Encoding a qubit in an oscillator*, preprint, 2001, Microsoft Corp., arXiv: quant-ph/0008040.
- [GrBe00] M. Grassl and T. Beth, *Cyclic quantum error-correcting codes and quantum shift registers*, R. Soc. Lond. Proc. Ser. A Math. Phys. Eng. Sci. **456** (2000), 2689–2706.
- [Gri95] G. Gripenberg, *A necessary and sufficient condition for the existence of a father wavelet*, Studia Math. **114** (1995), 207–226.

- [Gro01] K. Gröchenig, *Foundations of Time-Frequency Analysis*, Applied and Numerical Harmonic Analysis, Birkhäuser, Boston, 2001.
- [Gro97] L.K. Grover, *Quantum mechanics helps in searching for a needle in a haystack*, Phys. Rev. Lett. **79** (1997), 325–328.
- [Gun00] R.F. Gundy, *Low-pass filters, martingales, and multiresolution analyses*, Appl. Comput. Harmon. Anal. **9** (2000), 204–219.
- [Haa10] A. Haar, *Zur Theorie der orthogonalen Funktionensysteme*, Math. Ann. **69** (1910), 331–371.
- [HLPS99] D. Han, D. R. Larson, M. Papadakis, and Th. Stavropoulos, *Multiresolution analyses of abstract Hilbert spaces and wandering subspaces*, The Functional and Harmonic Analysis of Wavelets and Frames (San Antonio, 1999) (L.W. Baggett and D.R. Larson, eds.), Contemp. Math., vol. 247, American Mathematical Society, Providence, 1999, pp. 259–284.
- [HSS01] X.M. He, L.X. Shen, and Zuwei Shen, *A data-adaptive knot selection scheme for fitting splines*, IEEE Signal Processing Letters **8** (2001), 137–139.
- [Hei94] C. Heil, *Some stability properties of wavelets and scaling functions*, Wavelets and Their Applications (J.S. Byrnes et al., eds.), Kluwer, Dordrecht, 1994, pp. 19–38.
- [HSS96] C. Heil, G. Strang, and V. Strela, *Approximation by translates of refinable functions*, Numer. Math. **73** (1996), 75–94.
- [Hel81] S. Helgason, *Topics in Harmonic Analysis on Homogeneous Spaces*, Progress in Mathematics, vol. 13, Birkhäuser, Boston, 1981.
- [HSW95] P.N. Heller, J.M. Shapiro, and R.O. Wells, *Optimally smooth symmetric quadrature mirror filters for image coding*, Wavelet Applications II (Orlando, 1995) (H.H. Szu, ed.), Proceedings of SPIE, vol. 2491, Society of Photo-optical Instrumentation Engineers, Bellingham, WA, 1995, pp. 119–130.
- [HSS+95] P.N. Heller, V. Strela, G. Strang, P. Topiwala, C. Heil, and L.S. Hills, *Multi-wavelet filter banks for data compression*, IEEE International Symposium on Circuits and Systems, 1995 (ISCAS '95), Vol. 3, Institute of Electrical and Electronics Engineers, New York, 1995, pp. 1796–1799.
- [Hel95] H. Helson, *Harmonic Analysis*, second ed., Henry Helson, Berkeley, CA, 1995, earlier edition issued by Addison-Wesley, Reading, MA, 1983, reprinted by Wadsworth & Brooks/Cole, Pacific Grove, CA, 1991.



- [Hen93] H. Hennion, *Sur un théorème spectral et son application aux noyaux lipchitziens*, Proc. Amer. Math. Soc. **118** (1993), 627–634.
- [HeWe96] E. Hernandez and G. Weiss, *A First Course on Wavelets*, Studies in Advanced Mathematics, CRC Press, Boca Raton, Florida, 1996.
- [Her94] L. Hervé, *Étude d'opérateurs quasi-compacts positifs: Applications aux opérateurs de transfert*, Ann. Inst. H. Poincaré Probab. Statist. **30** (1994), 437–466.
- [Hir59] I.I. Hirschman, Jr., *On multiplier transformations*, Duke Math. J **26** (1959), 221–242.
- [Ho96] M.C. Ho, *Properties of slant Toeplitz operators*, Indiana Univ. Math. J. **45** (1996), 843–862.
- [Hol95] M. Holschneider, *Wavelets: An Analysis Tool*, Oxford Mathematical Monographs, Oxford Science Publications, The Clarendon Press, Oxford University Press, New York, 1995.
- [Hol96] M. Holschneider, *Wavelet analysis of transfer operators acting on  $n$ -dimensional Hölder, Zygmund Triebel spaces*, preprint, 1996, [http://www.ma.utexas.edu/mp\\_arc-bin/mpa?yn=96-169](http://www.ma.utexas.edu/mp_arc-bin/mpa?yn=96-169) .
- [Hor95] L. Hörmander, *Lectures on harmonic analysis*, Dept. of Mathematics, Box 118, S-22100 Lund, 1995.
- [Hub98] B.B. Hubbard, *The World According to Wavelets: The Story of a Mathematical Technique in the Making*, second ed., A.K. Peters, Wellesley, MA, 1998.
- [Hun84] T.W. Hungerford, *Algebra*, Graduate Texts in Mathematics, vol. 73, Springer-Verlag, New York, 1984, third printing, reprint of the 1974 original publication by Holt, Rinehart, and Winston.
- [HwMa94] W.-L. Hwang and S. Mallat, *Characterization of self-similar multifractals with wavelet maxima*, Appl. Comput. Harmon. Anal. **1** (1994), 316–328.
- [IoMa50] C.T. Ionescu Tulcea and G. Marinescu, *Théorie ergodique pour des classes d'opérations non complètement continues*, Ann. of Math. (2) **52** (1950), 140–147.
- [Jaf00] S. Jaffard, *Décompositions en Ondelettes*, Development of Mathematics 1950–2000 (J.-P. Pier, ed.), Birkhäuser, Basel, 2000, pp. 609–634.

- [JelC01] A. Jensen and A. la Cour-Harbo, *Ripples in Mathematics: The Discrete Wavelet Transform*, Springer-Verlag, Berlin, 2001.
- [Jor99a] P.E.T. Jorgensen, *Harmonic analysis of fractal processes via  $C^*$ -algebras*, Math. Nachr. **200** (1999), 77–117.
- [Jor01a] P.E.T. Jorgensen, *Ruelle operators: Functions which are harmonic with respect to a transfer operator*, Mem. Amer. Math. Soc. **152** (2001), no. 720.
- [Jor01b] P.E.T. Jorgensen, *Minimality of the data in wavelet filters*, Adv. Math. **159** (2001), 143–228.
- [JoPe98b] P.E.T. Jorgensen and S. Pedersen, *Dense analytic subspaces in fractal  $L^2$ -spaces*, J. Analyse Math. **75** (1998), 185–228.
- [KaLe95] J.-P. Kahane and P.-G. Lemarié-Rieusset, *Fourier Series and Wavelets*, Studies in the Development of Modern Mathematics, vol. 3, Gordon and Breach, Luxembourg, 1995.
- [Kai94] G. Kaiser, *A Friendly Guide to Wavelets*, Birkhäuser, Boston, 1994.
- [Kea72] M. Keane, *Strongly mixing  $g$ -measures*, Invent. Math. **16** (1972), 309–324.
- [KKR94a] S.E. Kelly, M.A. Kon, and L.A. Raphael, *Pointwise convergence of wavelet expansions*, Bull. Amer. Math. Soc. (N.S.) **30** (1994), 87–94.
- [KKR94b] S.E. Kelly, M.A. Kon, and L.A. Raphael, *Local convergence for wavelet expansions*, J. Funct. Anal. **126** (1994), 102–138.
- [Kla99] A. Klappenecker, *Wavelets and wavelet packets on quantum computers*, Wavelet Applications in Signal and Image Processing VII (Denver, 1999) (M.A. Unser, A. Aldroubi, and A.F. Laine, eds.), Proceedings of SPIE, vol. 3813, Society of Photo-optical Instrumentation Engineers, Bellingham, WA, 1999, pp. 703–713.
- [Kla02] A. Klappenecker, personal communication.
- [KHF00] A. Klappenecker, M. Holschneider, and K. Flornes, *Two-channel perfect reconstruction FIR filter banks over commutative rings*, Appl. Comput. Harmon. Anal. **8** (2000), 113–121.
- [Ko1884] G. Koenigs, *Recherches sur les intégrales de certaines équations fonctionnelles*, Ann. Sci. École Norm. Sup. (Sér. 3) **1** (1884), supplément, 3–41.
- [KoSw00] J. Kovačević and W. Sweldens, *Wavelet families of increasing order in arbitrary dimensions*, IEEE Trans. Image Process. **9** (2000), 480–496.

- [LaHe96] M. Lang and P.N. Heller, *The design of maximally smooth wavelets*, IEEE International Conference on Acoustics, Speech, and Signal Processing, 1996 (ICASSP-96), Vol. 3, Institute of Electrical and Electronics Engineers, New York, 1996, pp. 1463–1466.
- [LMW96] K.-S. Lau, M.-F. Ma, and J. Wang, *On some sharp regularity estimations of  $L^2$ -scaling functions*, SIAM J. Math. Anal. **27** (1996), 835–864.
- [LaSu00] K.-S. Lau and Q. Sun, *Asymptotic regularity of Daubechies' scaling functions*, Proc. Amer. Math. Soc. **128** (2000), 1087–1095.
- [Law90] W.M. Lawton, *Tight frames of compactly supported affine wavelets*, J. Math. Phys. **31** (1990), 1898–1901.
- [Law91a] W.M. Lawton, *Necessary and sufficient conditions for constructing orthonormal wavelet bases*, J. Math. Phys. **32** (1991), 57–61.
- [Law91b] W.M. Lawton, *Multiresolution properties of the wavelet Galerkin operator*, J. Math. Phys. **32** (1991), 1440–1443.
- [LLS96] W.M. Lawton, S.L. Lee, and Zuowei Shen, *An algorithm for matrix extension and wavelet construction*, Math. Comp. **65** (1996), no. 214, 723–737.
- [LPT01] L.-H. Lim, J.A. Packer, and K.F. Taylor, *A direct integral decomposition of the wavelet representation*, Proc. Amer. Math. Soc. **129** (2001), 3057–3067.
- [Llo00] S. Lloyd, *Quantum search without entanglement*, Phys. Rev. A (3) **61** (2000), 010301, 4 pp.
- [MaSI77a] F.J. MacWilliams and N.J.A. Sloane, *The Theory of Error-Correcting Codes, Part I*, North-Holland Mathematical Library, vol. 16, North-Holland, Amsterdam, 1977.
- [Mal89] S.G. Mallat, *Multiresolution approximations and wavelet orthonormal bases of  $L^2(\mathbf{R})$* , Trans. Amer. Math. Soc. **315** (1989), 69–87.
- [Mal99] S.G. Mallat, *A Wavelet Tour of Signal Processing*, 2nd ed., Academic Press, Orlando–San Diego, 1999.
- [Man00] Yu. I. Manin, *Classical computing, quantum computing, and Shor's factoring algorithm*, Astérisque (2000), no. 266, Exp. No. 862, 5, 375–404, Séminaire Bourbaki, Vol. 1998/99.
- [Mat01] T. Matsui, *On non-commutative Ruelle transfer operator*, Rev. Math. Phys. **13** (2001), 1183–1201.

- [May91] D.H. Mayer, *Continued fractions and related transformations*, Ergodic Theory, Symbolic Dynamics, and Hyperbolic Spaces (Trieste, 1989) (T. Bedford, M. Keane, and C. Series, eds.), Oxford Science Publications, The Clarendon Press, Oxford University Press, New York, 1991, pp. 175–222.
- [McWe99] J.N. McDonald and N.A. Weiss, *A Course in Real Analysis*, Academic Press, San Diego, 1999, biographies by Carol A. Weiss.
- [MHC01] J.M. McNamara, A.I. Houston, and E.J. Collins, *Optimality models in behavioral biology*, SIAM Rev. **43** (2001), 413–466.
- [MeyD00] D.A. Meyer, *Sophisticated quantum search without entanglement*, Phys. Rev. Lett. **85** (2000), 2014–2017.
- [Mey93a] Y. Meyer, *Wavelets: Algorithms & Applications*, SIAM, Philadelphia, 1993, translated from the French and with a foreword by Robert D. Ryan.
- [Mey93b] Y. Meyer, *Wavelets and operators*, Different Perspectives on Wavelets (San Antonio, TX, 1993) (Ingrid Daubechies, ed.), Proc. Sympos. Appl. Math., vol. 47, American Mathematical Society, Providence, 1993, pp. 35–58.
- [Mey98] Y. Meyer, *Wavelets, Vibrations and Scalings*, CRM Monograph Series, vol. 9, American Mathematical Society, Providence, 1998.
- [MeyY00] Y. Meyer, *Le traitement du signal et l'analyse mathématique*, Ann. Inst. Fourier (Grenoble) **50** (2000), 593–632.
- [MiXu94] C.A. Micchelli and Y. Xu, *Using the matrix refinement equation for the construction of wavelets on invariant sets*, Appl. Comput. Harmon. Anal. **1** (1994), 391–401.
- [Mil98] G.J. Milburn, *The Feynman Processor*, Perseus Books, Reading, MA, 1998.
- [NiCh00] M.A. Nielsen and I.L. Chuang, *Quantum Computation and Quantum Information*, Cambridge University Press, Cambridge, 2000.
- [Nor72] M.F. Norman, *Markov Processes and Learning Models*, Mathematics in Science and Engineering, vol. 84, Academic Press, New York, 1972.
- [Nus98] R.D. Nussbaum, *Eigenvectors of order-preserving linear operators*, J. London Math. Soc. (2) **58** (1998), 480–496.
- [Nus01a] R.D. Nussbaum, *The spectral radius and the essential spectral radius of positive operators*, preprint, Rutgers University, in preparation.

- [Nus01b] R.D. Nussbaum, private communication (fax).
- [Omn99] R. Omnès, *Understanding Quantum Mechanics*, Princeton University Press, Princeton, NJ, 1999.
- [PaRi01] J.A. Packer and M.C. Rieffel, *Wavelet filter functions, the matrix completion problem, and projection modules over  $C(\mathbb{T}^n)$* , preprint 2001, arXiv:math.FA/0107231, to appear in JFAA.
- [PaPo90] W. Parry and M. Pollicott, *Zeta functions and the periodic orbit structure of hyperbolic dynamics*, Astérisque, vol. 187–188, Société Mathématique de France, Paris, 1990.
- [Per71] A.M. Perelomov, *Remark on the completeness of the coherent state system*, Teoret. Mat. Fiz. **6** (1971), 213–224 (Russian), English translation, Teoret. and Math. Phys. **6** (1971), 156–164.
- [Per86] A.M. Perelomov, *Generalized Coherent States and Their Applications*, Texts and Monographs in Physics, Springer-Verlag, Berlin, 1986.
- [PeWi99] V. Perrier and M.V. Wickerhauser, *Multiplication of short wavelet series using connection coefficients*, Advances in Wavelets (Hong Kong, 1997) (Ka-Sing Lau, ed.), Springer-Verlag, Singapore, 1999, pp. 77–101.
- [PeWe72] W.W. Peterson and E.J. Weldon, Jr., *Error-Correcting Codes*, second ed., The M.I.T. Press, Cambridge, Mass., 1972.
- [Pol01] H. Pollatsek, *Quantum error correction: Classic group theory meets a quantum challenge*, Amer. Math. Monthly **108** (2001), 932–962.
- [Pol90] D. Pollen,  $SU_I(2, F[z, 1/z])$  for  $F$  a subfield of  $\mathbb{C}$ , J. Amer. Math. Soc. **3** (1990), 611–624.
- [ReWe98] H.L. Resnikoff and R.O. Wells, *Wavelet Analysis: The Scalable Structure of Information*, Springer-Verlag, New York, 1998.
- [Rie81] M.A. Rieffel, *Von Neumann algebras associated with pairs of lattices in Lie groups*, Math. Ann. **257** (1981), 403–418.
- [RoSh00] A. Ron and Zuowei Shen, *The Sobolev regularity of refinable functions*, J. Approx. Theory **106** (2000), 185–225.
- [RLL00] M. Rørdam, F. Larsen, and N.J. Laustsen, *An Introduction to  $K$ -theory for  $C^*$ -algebras*, Cambridge University Press, Cambridge, 2000.

- [Rud76] W. Rudin, *Principles of Mathematical Analysis*, third ed., International Series in Pure and Applied Mathematics, McGraw-Hill Book Co., New York, 1976.
- [Rue79] D. Ruelle, *Ergodic theory of differentiable dynamical systems*, Inst. Hautes Etudes Sci. Publ. Math. **50** (1979), 27–58.
- [Rue94] D. Ruelle, *Dynamical Zeta Functions for Piecewise Monotone Maps of the Interval*, CRM Monograph Series, vol. 4, American Mathematical Society, Providence, 1994.
- [SaSa01] P.J. Salas and A.L. Sanz, *Numerical simulation of decoherence-control processes in quantum computers*, preprint, 2001, <http://arXiv.org/abs/quant-ph/0110106>.
- [Sch74] H.H. Schaefer, *Banach Lattices and Positive Operators*, Die Grundlehren der mathematischen Wissenschaften, vol. 215, Springer-Verlag, New York–Heidelberg, 1974.
- [Sc1871] E. Schröder, *Ueber iterirte Functionen*, Math. Ann. **3** (1871), 296–322.
- [Sho99] P.W. Shor, *Polynomial-time algorithms for prime factorization and discrete logarithms on a quantum computer*, SIAM Rev. **41** (1999), 303–332.
- [Sho00] P.W. Shor, *Introduction to quantum algorithms*, preprint 2000, notes for talk given for the short course at the January 2000 AMS meeting.
- [Spi76] F. Spitzer, *Principles of Random Walk*, second ed., Graduate Texts in Mathematics, vol. 34, Springer-Verlag, New York, 1976.
- [Ste70] E.M. Stein, *Singular Integrals and Differentiability Properties of Functions*, Princeton Mathematical Series, vol. 30, Princeton University Press, Princeton, New Jersey, 1970.
- [Sto80] E. Størmer, *Decomposition of positive projections on  $C^*$ -algebras*, Math. Ann. **247** (1980), 21–41.
- [Sto01] L. Stoyanov, *Spectrum of the Ruelle operator and exponential decay of correlations for open billiard flows*, Amer. J. Math. **123** (2001), 715–759.
- [Str93] G. Strang, *Wavelet transforms versus Fourier transforms*, Bull. Amer. Math. Soc. (N.S.) **28** (1993), 288–305.
- [Str96a] G. Strang, *Eigenvalues of  $(\downarrow 2)H$  and convergence of the cascade algorithm*, IEEE Transactions on Signal Processing **44** (1996), 233–238.

- [Str96b] G. Strang, *Eigenvalues of Toeplitz matrices with  $1 \times 2$  blocks*, Z. Angew. Math. Mech. **76** (1996), Suppl. 2, 37–39.
- [SSZ99] G. Strang, V. Strela, and D.-X. Zhou, *Compactly supported refinable functions with infinite masks*, The Functional and Harmonic Analysis of Wavelets and Frames (San Antonio, 1999) (L.W. Baggett and D.R. Larson, eds.), Contemp. Math., vol. 247, American Mathematical Society, Providence, 1999, pp. 285–296.
- [StZh01] G. Strang and D.-X. Zhou, *The limits of refinable functions*, Trans. Amer. Math. Soc. **353** (2001), 1971–1984.
- [StZh98] G. Strang and D.-X. Zhou, *Inhomogeneous refinement equations*, J. Fourier Anal. Appl. **4** (1998), 733–747.
- [SHS+99] V. Strela, P.N. Heller, G. Strang, P. Topiwala, and C. Heil, *The application of multiwavelet filterbanks to image processing*, IEEE Transactions on Image Processing **8** (1999), 548–563.
- [SzFo70] B. Szőkefalvi-Nagy and C. Foias, *Harmonic Analysis of Operators on Hilbert Space*, North-Holland, Amsterdam–London, Elsevier, New York, Akadémiai Kiadó, Budapest, 1970, translation and revised edition of the original French edition, Masson et Cie, Paris, Akadémiai Kiadó, Budapest, 1967.
- [Tao96] T. Tao, *On the almost everywhere convergence of wavelet summation methods*, Appl. Comput. Harmon. Anal. **3** (1996), 384–387.
- [TaVi00] T. Tao and B. Vidakovic, *Almost everywhere behavior of general wavelet shrinkage operators*, Appl. Comput. Harmon. Anal. **9** (2000), 72–82.
- [Ten95] G. Tenenbaum, *Introduction to Analytic and Probabilistic Number Theory*, Cambridge Studies in Advanced Mathematics, vol. 46, Cambridge University Press, Cambridge, 1995, Translated from the second French edition (1995) by C. B. Thomas.
- [Tom57] J. Tomiyama, *On the projection of norm one in  $W^*$ -algebras*, Proc. Japan Acad. **33** (1957), 608–612.
- [Tre01a] B.F. Treadway, personal communication.
- [Tre01b] B.F. Treadway, Appendix to [Jor01b].
- [Tur98] R. Turcajová, *Hermite spline multiwavelets for image modeling*, Wavelet Applications V (Orlando, 1998) (H.H. Szu, ed.), SPIE Proceedings,

- vol. 3391, Society of Photo-optical Instrumentation Engineers, Bellingham, WA, 1998, pp. 46–56.
- [Vai93] P.P. Vaidyanathan, *Multirate Systems and Filter Banks*, Prentice-Hall Signal Processing Series, Prentice Hall, Englewood Cliffs, NJ, 1993.
- [VNDS89] P.P. Vaidyanathan, T.Q. Nguyen, Z. Dohanata, and T. Saramaki, *Improved technique for design of perfect reconstruction FIR QMF banks with lossless polyphase matrices*, IEEE Trans. Acoust. Speech Signal Process. **37** (1989), 1042–1056.
- [vdB99] J.C. van den Berg (ed.), *Wavelets in Physics*, Cambridge University Press, Cambridge, 1999.
- [Vil92] L.F. Villemoes, *Energy moments in time and frequency for two-scale difference equation solutions and wavelets*, SIAM J. Math. Anal. **23** (1992), 1519–1543.
- [Vil94] L.F. Villemoes, *Wavelet analysis of refinement equations*, SIAM J. Math. Anal. **25** (1994), 1433–1460.
- [VoWe00] K.G.H. Vollbrecht and R.F. Werner, *Why two qubits are special*, J. Math. Phys. **41** (2000), 6772–6782.
- [vNeu56] J. von Neumann, *Probabilistic logics and the synthesis of reliable organisms from unreliable components*, Automata Studies (C.E. Shannon and J. McCarthy, eds.), Annals of Mathematics Studies, vol. 34, Princeton University Press, Princeton, 1956, pp. 43–98.
- [vNeu68] J. von Neumann, *Mathematische Grundlagen der Quantenmechanik*, Die Grundlehren der mathematischen Wissenschaften, vol. 38, Springer-Verlag, Berlin, 1968, unaltered reprinting of the original 1932 edition, Springer, Berlin, 1932, reprint, Dover, New York, 1943, English translation, Princeton Univ. Press, Princeton, N.J., 1955.
- [Wal97] J.S. Walker, *Fourier analysis and wavelet analysis*, Notices Amer. Math. Soc. **44** (1997), 658–670.
- [Wal78] P. Walters, *Invariant measures and equilibrium states for some mappings which expand distances*, Trans. Amer. Math. Soc. **236** (1978), 121–153.
- [Wal82] P. Walters, *An Introduction to Ergodic Theory*, Graduate Texts in Mathematics, vol. 79, Springer-Verlag, New York, 1982.



- [Wal00] P. Walters, *Convergence of the Ruelle operator for a function satisfying Bowen's condition*, Trans. Amer. Math. Soc. **353** (2001), 327–347, electronically published Sept. 2000.
- [WeWi01] G. Weiss and E.N. Wilson, *The mathematical theory of wavelets*, Twentieth Century Harmonic Analysis—A Celebration (Il Ciocco, 2000) (J.S. Byrnes, ed.), NATO Science Series II: Mathematics, Physics and Chemistry, vol. 33, Kluwer Academic Publishers, Dordrecht, 2001, pp. 329–366.
- [Wic93] M.V. Wickerhauser, *Best-adapted wavelet packet bases*, Different Perspectives on Wavelets (San Antonio, TX, 1993) (I. Daubechies, ed.), Proc. Sympos. Appl. Math., vol. 47, American Mathematical Society, Providence, 1993, pp. 155–171.

+



# Index

- 
- adjoint operator, *see* operator, adjoint
  - algebraic analysis, *see* analysis, algebraic
  - algorithm, xi, xiv, 2, 3, 25, 33, 44, 46, 56, 80, 94, 105, 106, 148, 150, 165, 218, 319, 367
    - cascade, 41, 74, 80, 106, 134, 149, **165**, **166**, 184, 263
    - Daubechies–Sweldens lifting, 367
    - discrete wavelet transform, xiv
    - Fourier, 165
    - graphics, 74, 165, 206
    - multiresolution, 2, 149
    - of Shor, 25, 26
    - orthogonalization, 151
    - polynomial, 25, 37
    - pyramid, 2, 13, 27, 54, 60, 144
    - quantum, 5, 26, 27, 35, 37, 55
    - quantum computing, 5, 26–29, 37
    - quantum wavelet, 5, 25–27, 31, 32, 34, 36, 37, 55, 60, 63, 75
    - qubit, 25, 26, 32, 34
    - recursive, 204
    - refinement, xiv
    - resolution, 3
    - restriction, 45
    - subdivision, 13, 22, 80, 165, 206
    - Walsh function, 45
    - wavelet, 3–5, 37, 165, 368
    - wavelet packet, 46
    - wavelet resolution, 25–27, 37
  - analysis, xii, **3**
    - algebraic, 310
    - cascade, 46
    - classical, 42
    - Clifford, 5
    - Fourier, 2, 3, 44, 226, 266
    - fractal, 73
    - functional, 147
    - Gabor, 46, 47
    - harmonic, xi, 2, 76, 147, 311
    - multirate, 3
    - multiresolution, 2, 5, **6**, 7, 9, 12, 13, 16, 80, 82, 91, 98, 101, 103, 104, 113, 116, **149**, 358
    - numerical, 40, 155, 165
    - signal, 153
    - and synthesis, xi, 2, 3, 12, 46, 94, **148**, 151
    - wavelet, xii, xiv, xv, 1, 2, 9, 11, 12, 16, 25, 26, 46, 73, 80, 101, 113, 116, 265, 266, 328, 346
    - wavelet packet, 44

- wavepacket, 37
- approximation, 18, 127, 149, 151, 166, 255, 274, 328
  - cascade, 18, 19, 23, 38, 74, 80, 121, 122, 124–127, 129, 130, 134, 149, 155, 166, 167, 267, 336, 346
  - isospectral, 325, 347
  - $L^2$ -, 20, 41, 80, 166
    - in mean, 41, 166
  - pointwise, 41, 166
    - theory, xii, 242
  - wavelet, xiv, 1, 150, 165, 266
- averaging operator, *see* operator, averaging
  
- Viviane Baladi, 133, 152, 153, 189, 193, 205, 214, 229, 231, 281, 282, 285, 297, 320, 370
- Baladi theorem, *see* theorem, Baladi
- bi-Cuntz relations, 360–362
- biorthogonal, 11, 42, 85, 87
  - frame, 92, 340, 358, 359
  - type, 40, 41
  - wavelet, *see* wavelet, biorthogonal
  - wavelet basis, 6, 11, 92, 359, 362, *see also* dual wavelet basis
- biwavelet, 126, 341, 356
- Bloch
  - ball, 28, 59
  - sphere, 39, 65
- block matrix, *see* matrix, lower block
- Harald Bohr
  - Bohr mean, 258
- Niels Bohr
  - Rutherford–Bohr model, 26
- Bott periodicity, 83
- boundary, 25, 147, 148, 227
- bounded operator, *see* operator, bounded
- bra-ket, 5, 14, 201, **202**
  
- $C^*$ -algebra, 6, 83, 185, 237, 278, 282, 283, 285, 286, 309–311, 314, 317
- cascade, xiii, 38, 74, 79, 121, 126, 150, 269, 292, 343
  - algorithm, *see* algorithm, cascade
  - analysis, *see* analysis, cascade
  - approximant, 18, 124, 125, 128
    - approximation, *see* approximation, cascade
  - Cesaro convergence of, 80, 126, 127
    - convergence, 18, 21, 23, 121, 124–128, 149, 166, 167, 184, 323, 346
    - iteration, 9, 18, 134, 323
    - nonconvergence, 80, 267
    - operator, 68, 130, 139, **155**, 323
    - refinement, *see* cascading refinement
    - smoothing, **139**
    - subdivision operator, 87, 122
- cascading refinement, xiv, 38
- Cesaro
  - average, 38
  - mean, 127, 130, 238
  - operator, *see* operator, Cesaro
- chaos, 18, 20, 23, 38, 50, 75, 80, 199, 203
- chopping operator, *see* operator, chopping
- classical analysis, *see* analysis, classical
- CNOT gate, *see* gate, CNOT
- coherent
  - vector, **42**, 43, 44, 70, 76, 77
- R.R. Coifman, xiv, 44–46, 319, 373
- Coifman
  - –Wickerhauser theorem, *see* theorem, Coifman–Wickerhauser
- compact support, **2**, 5, 49–52, 76, 81, 83, 85, 104–106, 139, 143, 152, 155, 263, 293, 337, *see also* wavelet, compactly supported
- connected components, 6, 16, 22, 79–83, 89, 106, 109, 110, 152
- continuity, 18, 24, 25, 85, 89, 121, 131, 133, 134, 163, 166, 191, 232, 255, 316, 355
- contractive
  - matrix, *see* matrix, contractive
  - operator, *see* operator, contractive
- convergence
  - almost everywhere, 166
  - cascade, 9, 11, 18, 21, 23, 80, 121, 124–128, 149, 166, 167, 184, 267, 323, 343
  - Cesaro, 80, 126, 127, 130, **254**

- $L^2$ -, 9, 11, 21, 23, 39, 86, 91, 121, 126, 127, 129, 188, 189, 323, 327, 343
- martingale, *see* theorem, martingale convergence
- pointwise, 3, 70, 127, 136, 166, 255, 261, 274
- uniform, 70, 89, 90, 109, 123, 353, 361
- weak, 189, 256, 323
- convolution, *see* product, convolution
- J.-P. Conze, 187, 281, 307, 315, 316, 320, 321, 373
- correlations, xi, 265, 266, 293
- Cowen–Douglas operator, *see* operator, Cowen–Douglas
- Cuntz relations, 32, 46, 53, 54, 93, 96, 144, 360–362
- cycle, 6, 42, 236, 237, 246, 248–253, 267, 278, 281, 295, 296, **298**, 299, 300, 303–318, 320, 328, 330, 331, 333, 334, 336, 337, 341, 353
  - decomposition, 246, 252, 253, 308
  - measure, 6, 236, 278, 291, **305**, 307, 311, 317
  - state, 309, 314
- cyclic group, 30, 153, 246, 248, 249, 259, 290, 307, 308
  
- Ingrid Daubechies, xii, xiv, xv, 3, 5, 8, 11, 42, 44, 45, 47, 77, 124, 125, 128, 131–133, 150–152, 158, 166, 229, 267, 269, 270, 274, 281, 298, 301, 315, 320, 325, 334, 340, 342, 346, 355, 356, 366, 367, 372–374, 380, 385
- Daubechies
  - ’s Choice, 108, 125
  - selection function, 107, 140
  - Sweldens lifting, 328, 367, *see also* algorithm, Daubechies–Sweldens lifting
  - theorem, *see* theorem, Daubechies
  - wavelet, 5, 27, 168, 177, 182
- decoherence, 27, 29, 33, 65, **77**, *see also* quantum decoherence
  
- decomposition, 27, 42, 52, 53, 56, 72, 83–85, 94, 96, 193, 202, 249, 255, 307, 308, 310, 318, 319, 367
  - cycle, *see* cycle decomposition
  - Fourier, *see* Fourier decomposition
  - Hilbert space, *see* Hilbert space decomposition
  - orthogonal, *see* orthogonal decomposition
  - product, 108
  - spectral, *see* spectral decomposition
  - wavelet, *see* wavelet decomposition
  - Wold, *see* Wold decomposition
- deformation
  - continuous, 83–85, 90, 346
  - continuous — of wavelet, *see* wavelet, continuous deformation of
  - homotopy, *see* homotopy deformation
  - isospectral, *see* isospectral deformation
- degenerate Haar wavelet, *see* Haar, degenerate — wavelet
- degree, **108**, **120**, **156**
  - of a Fourier polynomial, 16, 84, 85, 87, 88, 90, 139, 196, 197, 206, 210, 221, 248, 313
- density matrix, *see* matrix, density
- detail, **3**, **4**, **5**, **7**, 13, 27, 32, 52–54, 56, 73, **101**, **102**, 144
  - subspace, 55, 102, 145
- diagonal matrix, *see* matrix, diagonal
- dimension function, **73**
- distribution, 9, 10, 18, 24, 50, 51, 74, 80, 88–90, 104, 105, 111, 129, 166, 187, 190, 208, 262, 263
- dual wavelet basis, 11, 25, 92, 151, 328, 340, 347, *see also* biorthogonal wavelet basis
- dynamical system, xii
  
- eigenfunction, 39, 50, 77, 87, 129, 149, 164, 167, 188, 189, 193, 197, 198, 205, 219, 223–227, 229, 230, 232, 235, 236, 248, 251, 252, 261, 287, 288, 290, 294, 312, 320, 332–334, 336, 347, *see also* Perron–Frobenius eigenfunction

- elongated Haar wavelet, *see* Haar, elongated
  - wavelet
- ergodic
  - mean, *see* mean, ergodic
  - theorem, *see* theorem, ergodic
- error-correcting
  - operator, *see* operator, error-correcting
  - quantum — code, *see* quantum error-correcting code
- extended Haar wavelet, *see* Haar, extended
  - wavelet
- extremal invariant
  - functional, 287
  - measure, 279, 306, 307
- Richard P. Feynman, 25, 26, 65, 375
- filter, 26, 49, 53, 54, 69, 73, 80, 88, 92, 106, 115, 120, 122, 143, **144**, 205, 262, 334, 338, 339, 341, 346, 349, 351, 354, 356, 362
  - bank, xi, 3
- dual, 11, 126, 205, 274, 299, 300, 364
- Haar, 341
- high-pass, xii, **8**, 11, 16, 45, 54, 56, 85, 88, 107, 116, 144, 150, 358
- low-pass, xii, **8**, 9, **13**, 16, 35, 38, 45, 54, 56, 76, 85, 107, 108, 113, 116, 132, 134, 144, 150, 266, 298, 341, 346, 349, 358, 376
  - of matrix functions, 135
- polynomial, 39, 139, 144, 150, 157, 267, 298, 300, 345
- quadrature mirror, 6, 32, 63, 71, 122, 135, 150, 319, 325, 337, 338, 340, 341, 343
  - s and sieves, 12, 14
- subband, 12, 13, 40, 69, 74, 108, 135, 266, 337, 349
- wavelet, 16, 25–27, 31, 32, 35, 36, 38–40, 54, 76, 80, 82, 85–88, 106, 119, 130, 144, 150, 157, 243, 267, 273, 277, 278, 297–300, 327, 335, 341–343, 345, 347, 348, 350, 355, 356, 361, 368
- finite rank, 242
- fixed point, 6, 50, 51, 68, 121, 189, 265, 280, 285, 310
- Jean-Baptiste Joseph Fourier, 13, 147, 150
- Fourier
  - analysis, *see* analysis, Fourier
  - basis, 9, 68, 157, 219, 363
  - coefficient(s), 5, 12, 87, 88, 93, 94, 136, 137, 194, 244, 266, 274, 289, 293, 342
  - decomposition, 9, 147
  - duality, 13, 199
  - equivalence, 144, 356
  - expansion, 236, 247
  - inverse — transform, 10, 12, 101, 102, 105, 263, 274
  - –Laplace transform, 104
  - monomial, 147, 320
  - polynomial, 8, 11, 39, 40, 84, 85, 87, 88, 106, 138, 139, 149, **156**, 164, 185, 189, 191, 193, 194, 196–198, 201, 204, 206, 210, 214, 221, 226, 228, 229, 231, 232, 235–238, 248, 252, 258, 267, 287, 288, 293, 294, 299–301, 312, 313, 315, 319, 322, 335, 337, 353, 367, 368
  - representation, 223, 266
  - series, 4, 12, 32, 54, 70, 144, 187, 219
  - transform, xii, 8, 12, 42, 49–51, 69, 70, 72, 89, 90, 94, 98, 104, 105, 122–124, 131, 136, 149, 150, 205, 319, 349, 366
  - windowed — transform, 46
- fractal, 6, 20, 198, 279, 377, 378
  - analysis, *see* analysis, fractal
- frame, 6, 11, 108, **142**
  - tight, 14, 45, 76, 86, 88, 91, 92, 98–100, 102, 110, 127, 140, **142**, 143, 145, **327**, **340**
- functional analysis, *see* analysis, functional
- Gabor analysis, *see* analysis, Gabor
- Gabor transform, *see* transform, Gabor
- Galerkin operator, *see* operator, Galerkin
- G. Garrigós, 81, 82, 120, 349, 370, 375
- Garrigós theorem, *see* theorem, Garrigós

- gate
  - CNOT, 27, 29–32, 37, 57, 61, 62, 65–67, 75, 78
  - control, 57, **60**, 61–63
  - logic, 5, 27, 30, 74, 75, 78
  - quantum, 5, 26–32, 35–37, 57, 61, 62, 66–68, 75, 78, *see also* theorem, quantum gate
  - qubit, 27, 29, 30, 32, 37, 61, 63, 67, 75
  - qubit swap, 31
  - Toffoli, 32, 61, 63, 64, 66–68, 75, 78
  - XOR, 27, 30, 68, 75, 78
- Gauß operator, *see* operator, Gauß
- graphics algorithm, *see* algorithm, graphics
- Alfred Haar, 1, 7, 34, 45, 47
- Haar
  - degenerate — wavelet, 80, 333, 335, *see also* Haar, stretched — wavelet
  - elongated — wavelet, 128, *see also* Haar, stretched — wavelet
  - extended — wavelet, 115, *see also* Haar, stretched — wavelet
  - filter, *see* filter, Haar
  - measure, 12, 40, 100, 157, 196, 206, 241, 243, 244, 254, 279, 280, 290
  - nonorthogonal — wavelet, 19, 20, *see also* Haar, stretched — wavelet
  - point, 18, 115
  - scaling function, 1, 4, 7, 19, 23, 52, 53, 60, 108, 110, 169, 247
  - stretched — wavelet, 38, 52, 53, 127, 129, 169, 246, 341
  - wavelet, 1, 4–7, 19–22, 27, 44, 45, 47, 52, 53, 60, 80, 81, 103, 110, 139, 140, 168, 178, 186, 197, 216, 233, 234, 243, 277, 278, 338
- Hadamard matrix, *see* matrix, Hadamard
- Hardy space, 42, 43, 70, 199, 276
- harmonic analysis, *see* analysis, harmonic
- high-pass
  - condition, 338
  - filter, *see* filter, high-pass
  - signal component, 368
- Hilbert
  - norm, 52
  - space, xi, 2, 8, 11, 13, 14, 29, 32, 44, 47, 48, 52–54, 57, 65–67, 70–72, 75–77, 80, 96, 134, 136, 142, 158, 159, 161, 165, 194, 199–202, 233, 261, 326, 342, 363
  - space decomposition, 72, 73, 148, 159, 161, 162, 187, 193, 206, 210
  - transform, 70
- homeomorphism, 24, 89, 90
- homotopy deformation, 83–85, 340
- idempotent, *see* operator, idempotent
- index, 80, **108**, 109, 120, 139, 197, **198**
  - Fredholm, 80
  - geometric, 80
  - theorem, *see* theorem, index
- Ingrid’s Choice, 108, 125
- intertwining operator, *see* operator, intertwining
- invariant subspace, 58, 132, 158, 159, 161, 201, 260
- invertible
  - matrix, *see* matrix, invertible
  - operator, *see* operator, invertible
- C.T. Ionescu Tulcea, 189, 190, 238, 239, 255, 257, 377
- Ionescu Tulcea
  - –Marinescu theorem, *see* theorem, Ionescu-Tulcea–Marinescu
- isometry, *see* operator, isometric
- isospectral
  - approximation, *see* approximation, isospectral
  - deformation, 340, 345
  - orthogonalization, 328, 347
  - recursion, 341, 344
  - sequence, 328, **339**, 340, 344, 352
- Judy’s Choice, 108
- $K_1$ 
  - -class, 81–84, 90, 91
  - -group, 82, 120
- $K$ -theory, 82, 83, 108, 350
- kernel

- Fejér, 242–244, 252, 335  
 sinusoidal, 252, 253
- ket, *see* bra
- Andreas Klappenecker, xiv, 27, 31, 32, 37, 368, 378
- kneading operator, *see* operator, kneading
- Krein–Rutman theorem, *see* theorem, Krein–Rutman
- Laurent polynomial, *see* Fourier polynomial
- W.M. Lawton, 83, 152, 156, 165, 197, 267, 298, 379
- lexicographic order, **60**
- Lipschitz
- constant, 189
  - continuous, 92, 99, 106, **186**, 189, 191, 231, 232, 235, 319
  - function, 8, 88, 92, 106, 108, 189, 260, 319
  - norm, 130, 132, 187
  - property, 270
  - space, 41, 92, 106, 108, 109, 111, 113, 116, 121, 122, 130, 132, 138, 143, **186**, 187–192, 236–240, 245, 253–255, 257, 258, 261, 263, 267, 268, 270, 273, 274, 276–278, 281, 285, 297, 304–306, 310, 311, 315, 316, 337, 348–356, 359
- low-pass
- condition, 97, 330, 338, 360
  - filter, *see* filter, low-pass
  - frequencies, 298
  - signal component, 368
- lower block matrix, *see* matrix, lower block
- Stéphane G. Mallat, 3, 13, 377, 379
- Yu. I. Manin, 27, 379
- masking coefficients, 6, 10, 17, 32, 39, 48, 63, 68, 69, 74, 80, 87, 122, 134, 135, 155, **157**, 165, 167, 266, 345
- MATHEMATICA*, xiv
- matrix
- completion, 108
  - contractive, 356
  - density, 33
  - diagonal, 67, 119, 235, 358
  - factorization, 63, 251, 367
  - function, 16, 17, 25, 26, 35, 39, 52, 54, 73, 80, 83, 85, 86, 90, 105, 107, 135, 139, 144, 325, 327, 328, 354–356, 358, 360, 361, 364, 366–368
  - Hadamard, 135, 140, 338
  - invertible, 25, 73, 75, 139, 161, 325, 328, 337
  - lower block, 207, 212
  - nonsingular, 283, 290
  - Pauli, 28, 57–59, 62
  - Pauli, 60
  - representation, 40, 60, 212, 216, 222, 234, 300, 302
  - slanted, 157, 164, 196, 203, 207, 208, 342
  - unitary, 5, 16, 17, 26, 27, 31, 32, 36, 37, 39, 52, 54, 55, 60–63, 65, 75, 83, 105, 107, 108, 117, 135, 325, 328
- mean, 68, 127, 129, 152
- approximation in, *see* approximation in mean
  - Bohr, *see* Bohr mean
  - Cesaro, *see* Cesaro mean
  - convergence in, 129
  - ergodic, 253, 259
  - geometric, 317
- Yves Meyer, xiv, 3, 42, 47, 189, 197, 319, 366, 373, 374, 380
- minimal function, 111, 267, 287, 333, 334
- module property, **138**, 153, 156, 279, 322
- multiplication operator, *see* operator, multiplication
- multiplicative ergodic theorem, *see* theorem, multiplicative ergodic
- multirate analysis, *see* analysis, multirate
- multiresolution, xii, **1**, 2, 3, 6, 7, 14, 16, 73, 82, 134
- algorithm, *see* algorithm, multiresolution
  - analysis, *see* analysis, multiresolution
  - generalized, 15



- subspace, 15, 362
- wavelet, xii, xiii, 9, 80, 101, 113, 116, 134, 147, 149, 165, 366
- multiwavelet, 10, 71, **134**, 135
- Neumann
  - John von, *see* von Neumann
- nonorthogonal Haar wavelet, *see* Haar, non-orthogonal — wavelet
- numerical analysis, *see* analysis, numerical
- Roger D. Nussbaum, xiv, 193, 197, 214, 231, 380, 381
- operator
  - adjoint, 40, 54, 71, 144, 159, 199–202, 205, 206, 233, 243
  - algebra, xii, 6, 37, 285
  - averaging, 38, 355
  - bounded, 159, 161, 188, 232, 255, 257
  - cascade, *see* cascade operator
  - cascade subdivision, *see* cascade subdivision operator
  - Cesaro, 256
  - chopping, 205, *see also* operator, subdivision
  - contractive, 40
  - Cowen–Douglas, 165
  - error-correcting, 35, 58, 59
  - Galerkin, 152, 156, **165**, 205
  - Gauß, 154
  - idempotent, 121, **201**, 242, 246, 254, 255, 257, 286, 287, 290, 309, 311, 313, 314, 333–335, 365
  - intertwining, xii, 280, 339, 352
  - invertible, 161, 163, 164, 285, 320, 352, 353, 361
  - isometric, 34, 40, 57, 71, 95, 96, 102, 124, 141, 186, **202**, 247
  - kneading, 152, 204, 205, *see also* operator, transfer
  - multiplication, 141, 157, 163, 186, 233, 287, 318, 352, 360
  - nonnormal, 165, 261
  - norm, 185, 186, 191, 197, 232, 255, 352
  - normal, 284
  - Perron–Frobenius, 152, 154
  - positive, 28, 202, **204**, 255, 282–284, 286, 288, 311
  - projection, 14, 17, 24, 29, 33, 34, 67, 83–85, 96–98, 100–102, 105, 121, 135, 156, 159, 162, 165, 193, 199, **201**, **202**, 205, 209, 213, 242, 243, 254, 283, 285, 288, 308, **309**, 314, 315, 317, 354
  - refinement, 10, 74, 164
  - Ruelle, 38, 121, 132, 150, 152, 153, **156**, 197, 199, 204, 205, 229, 233, *see also* operator, transfer, 378
  - scaling, 7, 15, 71, 93, 98, 206
  - selfadjoint, 142, 284, 309
  - shift, 32, 37, 96, 152, 156, 159, 199, 280
  - subdivision, xii, xiii, 39–41, 50, 93, 135, 204, 205, *see also* cascade subdivision operator
  - Toeplitz, 80
  - trace-class, 6, 28, 158
  - transfer, xiii, 6, 8, 9, 11, 25, 38–41, 45, 50, 68, 76, 87, 116, 121, 124, 126, 129, 130, 135, **138**, 149, 150, 152, 153, 155, **156**, 162, 164–166, 184, 186, 187, 191, 193, 196, 197, 203–205, 221, 224, 230–232, 234, 236, 239, 242–244, 246, 248, 254, 257, 261, 262, 265–268, 273, 278, 285, 288, 291–293, 298, 305, 309–311, 315, 317–319, 322, 328, 336, 340, 342, 346, 352, 354, 358, 362, 363
  - transition, 76, 152, *see also* operator, transfer
  - unitary, 7, 15, 29, 31, 32, 35, 37, 58, 66, 67, 72, 83–85, 96, 98, **202**
  - wavelet, 164
  - woodcutter, 41, 204, *see also* operator, subdivision
- orthogonal, *see also* orthonormal
  - decomposition, 35, 53, 55, 145, 148
  - expansion, 5, 148
  - frame, 107, 139, 142, 358

- translates, 8, 9, 17, 136, 149, 267, 298, 326, 335, 345
- type, 40, 41
- vectors, 75, 107, 142
- wavelet, 10, 16, 19, 25, 41, 45, 76, 79, 116, 153, 156, 157, 163, 266, 277, 298, 318, 325, 327, 328, 337, 341, 343, 358
- wavelet basis, 80, 101
- wavelet expansion, 4
- wavelet system, 144
- orthogonality relations, 6, 9, 105, 149, 242, 267, 298, 318
- orthogonalization algorithm, *see* algorithm, orthogonalization
- orthonormal, *see also* orthogonal
  - basis, 8, 14, 15, 32, 43, 45, 47, 48, 66, 70, 76, 77, 81, 82, 91, 100, 103, 107, 110, 113, 127, 319, **326**, **347**, 364
  - translates, 69, 100, 121, 126
  - wavelet, 81, 267
  - wavelet basis, 91, 92, 99, 101
- Judy Packer, xv, 15, 43, 107, 108, 379, 381
  - 's Choice, 108
- Pauli matrix, *see* matrix, Pauli
- peripheral eigenvalue, *see* spectrum, peripheral eigenvalue
- peripheral spectrum, *see* spectrum, peripheral
- Perron–Frobenius
  - eigenfunction, 132, 154, 197, 228, 235–237, 240–242, 244, 268, 274, 275, 277, 281, 293, 295–297, 299, 304, 305, 309, 328, 329, 332, 336, 337, 339, 341, 342, 344, 348, 352–355, 363
  - eigenvalue, 38, 152, 154, 205
  - eigenvector, 132, 273, 287–290, 323
  - operator, *see* operator, Perron–Frobenius
  - spectrum, 9, 11, 45, 127
  - theorem, *see* theorem, Perron–Frobenius
  - theory, 203, 265
- polarization identity, **91**
- polynomial, *see* Fourier polynomial
- positive operator, *see* operator, positive
- probability
  - distribution, 14, 76
  - measure, 51, 279–282, 286, 287, 321
- product
  - $C^*$ -algebra — on the space of fixed points for the transfer operator, 6, 41, **266**, **283**, 284, 285, 309–311, 315, 321
  - Cartesian, 321
  - convolution, 40, **49**, 69, 242, 339
    - decomposition, *see* decomposition, product
  - infinite — representation, 8, 10, 51, 131, 136, 261, 263, 274, 313, 339, 346
  - inner, 52, 119, 131, 148, 199–202, 244, 265, 360, *see also* product, scalar
    - measure, 280
    - of filters, **339**, 341
  - operator, 31, 361
  - pointwise, 6, 138, 265, 266, 309
  - scalar, 204
  - semidirect, 43
    - space, 279
  - tensor, 37, 60, 66
- projection, *see* operator, projection
- quadrature mirror filter, *see* filter, quadrature mirror
- quantum
  - algorithm, *see* algorithm, quantum
  - bit, *see* qubit
  - channel, 27, 29, 77
  - coherence, 5, 28, 29, 33, 35
  - computer, 5, 25, 26, 30, 31, 34, 57
  - computing, xiv, 25, 26, 29, 37, 75, *see also* algorithm, quantum computing
  - computing algorithm, *see* algorithm, quantum computing
  - decoherence, 5, 29
  - effect, 5, 28, 33, 37
  - entanglement, **5**, 37
  - error-correcting code, 33–35, 57, 58

- gate, *see* gate, quantum
- mechanics, 14, 29, 33, 44, 77
- optics, 28, 33
- parallelism, 34, 75, 77
- register, 5, 32, 35, 37, 75
- state, 5, 14, 28, 29, 33, 34, 60, 65, 75, 78, 80
- wavelet algorithm, *see* algorithm, quantum wavelet
- qubit, 5, 25–27, 29, 32, 34, 35, 37, 57, 60, 66–68, 75
  - flip, 35, 58, 78
  - gate, *see* gate, qubit
  - register, 5, 27, 29, 35, 37, 63, 64
  - swap gate, *see* gate, qubit swap
- $R$ -invariant, 6, 159, 161, 280, 281, 283, 286, 287, 289, 306, 314
- Radon transform, *see* transform, Radon
- recursive algorithm, *see* algorithm, recursive
- refinement
  - algorithm, *see* algorithm, refinement
  - cascade, *see* cascade refinement
  - equation, 10, 45, 49, 50, 73, 135, 140, 261, 262
  - operator, *see* operator, refinement
- representation
  - Fourier, *see* Fourier representation
  - infinite product, *see* product, infinite — representation
  - irreducible, 43, 44, 47, 70, 72
  - matrix, *see* matrix representation
  - sub—, 43, 70
  - unitary, 42, 43, 47, 70, 72, 78
- resolution, 4, **7**, **15**, 52, 56, 71, 73, 74, 144, **166**
  - coarser, **3**, **4**, 5, 7, 53–56, 73, 74, **101**, 129, 144, 145
  - finer, 2, 73, 74, 101, 102
  - initial, **3**
  - initial — subspace, **93**
  - subspace, 5, 15, 16, 27, 55, 73, 94, 145, 165
- resolution algorithm, *see* algorithm, resolution
- restriction algorithm, *see* algorithm, restriction
- rotation
  - irrational, 254, 256
  - rational, 254, 256, 259, 283, 298
- David Ruelle, 132, 153, 203–205, 237, 297, 350, 382
- Ruelle
  - operator, *see* operator, Ruelle
  - –Perron–Frobenius theorem, *see* theorem, Ruelle–Perron–Frobenius
  - theorem, *see* theorem, Ruelle
- scaling
  - coarser, 3, 13
  - equation, 63, 140, 323
  - finer, 56, 74, 145
  - function, xii, xiii, 3, 6, 9–11, 15–24, 38, 39, 45, 54, 55, 68, 69, 73, 74, 80, 82, 83, 85, 87, 88, 90, 103–110, 113, 116, 121, 126, 127, 129, 130, 133–135, 139, 140, 143–145, 149, 150, 155, 165, 166, 169, 246, 247, 266, 268, 273, 274, 277, 290–292, 297, 300, 315, 319, 334–337, 339, 340, 342, 343, 345–349, 361, 364
  - Haar — function, *see* Haar scaling function
  - identity, 9, 10, 14, 17, 48–50, 134, 135, 319
  - number, 6, 8, 10, 14, 15, 25, 37, 48–50, 74, 79–81, 91, 99, 101, 105, 134, 144, 151, 254, 285, 305, 307, **325**, 328, 338, 364
  - operator, *see* operator, scaling
- shift, *see* operator, shift
- P.W. Shor, 5, 25, 26, 32, 34, 35, 370, 372, 382
- Shor
  - algorithm of, *see* algorithm of Shor
  - theorem, *see* theorem, Shor
- sieve, 12, 14
- signal, *see* high-pass signal component *and* low-pass signal component
  - analysis, *see* analysis, signal

- processing, xi, xii, 6, 13, 205, 370, 372, 373, 376, 378–380, 382, 384
- theory, 46
- simplex, 6, 267, 283, 286
- singular point, 4, 5, 25, **38**, 39, 80
- slanted matrix, *see* matrix, slanted
- spectral
  - bound, 39
  - condition, 11, 18, 23, 122, 126, 128
  - decomposition, 257, 318, 354
  - essential — radius, 186, 214, 231
  - function, 247, 266, 281, 290, 291, 293, 297, 347, 348, 363
  - idempotent, 242, 246, 254, 287, 290
  - inverse — theory, 292
  - multiplicity, 298
  - projection, 242, 354
  - properties of biorthogonal wavelet, 327, 336
  - properties of transfer operator, 6, 39, 121, 124, 130, 131, 186, 206, 246
  - radius, 11, 185, 186, 193, 196, 197, 203, 204, 214, 231, 232, 265, 317, 318
  - theory, xii, 6, 8, 40, 153, 164, 212, 266
  - transform, **148**
- spectrum
  - discrete, 158, 159
  - eigenvalue, 9, 159, 161, 164, 165, 188, 192, 257, 285
  - essential, 197, 214, 219
  - finite, 8, 39, 191, 205, 210
  - Gelfand, 267, 310
  - matrix, 210, 329, 346
  - of drum, 147, 148
  - of transfer operator, xii, 6, 10, 39, 82, 121, 126, 132, 149, 150, 156, 158, 164, 166, 168, 184, 188, 191, 192, 203, 204, 208, 209, 242, 292, 297, 298, 320, 328, 339, 340, 346, 347, 352, 353
  - peripheral, 6, 9, 39, 87, 126, 184, 248, 253, 258, 293, 297, 333
  - peripheral eigenvalue, 188, 189, 243, 257, 258, 265, 285, 354
  - peripheral point, 39, 45, 127
  - Perron–Frobenius, *see* Perron–Frobenius spectrum
  - point, 6, 127, 287
- spin vector, 17, 26, 38, 39
- state
  - as linear functional on  $C^*$ -algebra, 59, 282, 283, 286, 291, 308–311, 314
  - Boolean, 27
  - cat, 34, 66
  - classical, 29, 33, 78
  - coherent, **5**, 28, 29, 33, 34, 67, 77, 78
  - entangled, **37**
  - logical, 35
  - mixed, 29, 75
  - pure ( $C^*$ -algebra), 39, **310**, 311
  - pure (quantum), 65, 77, 80
  - pure (thermodynamic), 203
  - quantum, *see* quantum state
- Gilbert Strang, xiv, xv, 10, 11, 15, 81, 122, 152, 166–168, 376, 382, 383
- Strang
  - –Fix condition, 122, 130
  - theorem, *see* theorem, Strang
- stretched Haar wavelet, *see* Haar, stretched
  - wavelet
- strong ergodic theorem, *see* theorem, strong ergodic
- subdivision, 40, 41, 51, 64, 149, 204, 206
  - algorithm, *see* algorithm, subdivision
  - cascade — operator, *see* cascade subdivision operator
  - operator, *see* operator, subdivision
- W. Sweldens, xiv, 71, 134, 367, 374, 378
- Sweldens, *see* Daubechies–Sweldens lifting
- synthesis, *see* analysis and synthesis
- telescoping infinite sum, **3**
- theorem
  - Adams, 107
  - Ascoli–Arzelà, 187, 190
  - Baladi, 285, 320

- Beurling, 276  
 Cohen–Ryan, 11, 132  
 Coifman–Wickerhauser, 45  
 convergence, 133, 166, 244, 274  
 Daubechies, 298, 315  
 Dini, 238  
 ergodic, 142, 276, 278, 350, *see also*  
     theorem, multiplicative ergodic *and*  
     theorem, strong ergodic  
 factorization, 27  
 Fatou, 276  
 fixed point, *see* theorem, Markov–Kakutani  
     fixed point  
 Garrigós, 82  
 Gripenberg, 104  
 Grover, 25  
 homotopy, 85, 109  
 index, 82, 106, 110, 113, 116, 140, 152,  
     358, 362, 363, 365  
 Ionescu–Tulcea–Marinescu, 239  
 Keane, 279  
 Krein–Rutman, 230  
 Markov–Kakutani fixed point, 189  
 martingale convergence, 142  
 multiplicative ergodic, 186, 275, 350,  
     356, 357  
 no-antisymmetry, 45, 325  
 no-cloning, **29**, 34  
 Paley–Wiener, 104, 105  
 Perron–Frobenius, 203  
 Plancherel, 133  
 quantum gate, 32  
 Rouché, 355  
 Ruelle, 204, 205, 235, 320, 350, 356  
 Ruelle–Perron–Frobenius, 189  
 Shor, 32, 37  
 Spitzer, 318  
 Stone–Weierstraß, 85  
 Strang, 122  
 strong ergodic, **189**, 238, 255, 257  
 Szegő, 276  
 wavelet localization, 47  
 wavelet restriction, 45  
 Toeplitz operator, *see* operator, Toeplitz  
 Toffoli gate, *see* gate, Toffoli  
 trace-class operator, *see* operator, trace-class  
 transfer operator, *see* operator, transfer  
 transform  
     discrete wavelet, *see* algorithm, discrete  
         wavelet transform  
     Fourier, *see* Fourier transform  
     Gabor, 43, **46**  
     Hilbert, *see* Hilbert transform  
     Radon, 46  
     spectral, *see* spectral transform  
     wavelet, *see* wavelet transform  
 transition operator, *see* operator, transition  
 trigonometric polynomial, 11, *see also* Fourier  
     polynomial  
 2-sphere, 24  
 unitary  
     — matrix, *see* matrix, unitary  
     — operator, *see* operator, unitary  
 universality, 32, **75**  
 vanishing moments, 3, 11, 24, 126, 150, 151,  
     168, 169, 177, 228, 342, 366  
 variety  
     algebraic, 6, 24, 25, 79, 88–90  
     — of wavelets or wavelet filters, 6, 7,  
         19, 20, 22–25, 38, 76, 79–81, 88,  
         89, 152  
 John von Neumann, 33, 35, 46, 384  
 von Neumann  
     — algebra, 47  
     — dimension, 47  
 Walsh function algorithm, *see* algorithm,  
     Walsh function  
 wavelet  
     — algorithm, *see* algorithm, wavelet  
     — analysis, *see* analysis, wavelet  
     — approximation, *see* approximation,  
         wavelet  
     — basis, 3, 11, 12, 47, 80, 91, 92, 99,  
         101, 340, *see also* biorthogonal  
         wavelet basis  
     bi—, *see* biwavelet  
     biorthogonal, 25, 41, **327**, 328, 336, 337,  
         340, 355, 366, *see also* biorthog-  
         onal wavelet basis

- coefficient, 5
- coefficient(s), 4, 27, 56, 94, 151, **165**
- compactly supported, 6, 10, 11, 21, 25, 45, 80, 82, 88, 103, 106, 135, 144, 150, 151, 300, 325, 345, *see also* compact support
- continuous, xii, 42, 56, 127, 145, 166, 325
- continuous deformation of, xiii, 23, 79, 80, 106, 155, 340
- Daubechies, *see* Daubechies wavelet
- decomposition, 4, 27, 53, 55, 148
- degenerate Haar, *see* Haar, degenerate — wavelet
- discrete, xii, 3, 12, 42, 43, 56, 70, 145, 367, *see also* algorithm, discrete wavelet transform
- dual, **151**, 274, 364, *see also* dual wavelet basis
- dyadic, 35, 45, 73, 80, 140, 150, 267, 325, 328, 364, 366, 368
- elongated Haar, *see* Haar, elongated — wavelet
- expansion, 4, 44, 46, **165**, 166, **327**
- extended Haar, *see* Haar, extended — wavelet
- filter, *see* filter, wavelet
- function, xii, xiii, 6, 16, 22–24, 43, 45, 48, 54, 69, 70, 73, 80, 82, 83, 88, 90, **103**, 104–110, 113, 114, 116, 125, 129, 135, 139, 140, 143, 144, 150–152, **165**, 168, 169, 177, 325, 334, 340, 346, 361, 364, 366
- generator, 11, 16, 38, 85, 87, 88, 363
- Haar, *see* Haar wavelet
- homotopy of —s, xiii, 16, 80–83, 85, 89, 106, 109, 113, 120, 340
- index theorem, *see* theorem, index
- matrix, 36
- multi—, *see* multiwavelet
- multiresolution, *see* multiresolution wavelet
- nonorthogonal Haar, *see* Haar, nonorthogonal — wavelet
- operator, *see* operator, wavelet
- orthogonal, *see* orthogonal wavelet
- orthogonal — basis, *see* orthogonal wavelet basis
- orthogonal — expansion, *see* orthogonal wavelet expansion
- orthogonal — system, *see* orthogonal wavelet system
- packet, xiv, 3, 13, 44–46, 319
- packet algorithm, *see* algorithm, wavelet packet
- packet analysis, *see* analysis, wavelet packet
- packet basis, 45
- quantum — algorithm, *see* algorithm, quantum wavelet
- resolution algorithm, *see* algorithm, wavelet resolution
- scaling function, *see* scaling function
- set, 15, 16, 43, 73, 298, **349**, **364**
- Shannon, 349
- shape of, 10, 16, 147, 149, 165
- stretched Haar, *see* Haar, stretched — wavelet
- transform, xiv, 32, 42, 43, 70, **148**, 367, *see also* algorithm, discrete wavelet transform
- ultrasmooth, 24, 124, 168, 177
- wavepacket analysis, *see* analysis, wavepacket
- Weierstraß function, 189, 220, 221
- M.V. Wickerhauser, xiv, 11, 14, 37, 44–46, 319, 373, 381, 385
- Wickerhauser
  - Coifman— — theorem, *see* theorem, Coifman–Wickerhauser
- winding number, 6, 22, 23, 80–83, 90, 108, 110, 113, 115, 120, **139**, 144, 152, 350, 355, 363
- windowed Fourier transform, *see* Fourier, windowed — transform
- Wold decomposition, **96**
- woodcutter operator, *see* operator, woodcutter
- XOR gate, *see* gate, XOR