Exam 1 Feb 22, 2007SHOW ALL WORKMath 25 Calculus IEither circle your answers or place on answer line.

Find the following derivatives (you do not need to simplify):

 $\begin{bmatrix} 14 \end{bmatrix}$  1.)  $\frac{d}{dx} \begin{bmatrix} \frac{x^2 + 3\sqrt{x} + x}{2x^4 - 5} \end{bmatrix}$ 

Answer 1.)

[14] 2.)  $\frac{d}{dx}[2xe^x + 3\sqrt{x^5} - \frac{1}{x}]$ 

3.) Calculate the appropriate limits in order to find the equations of all vertical and horizontal asymptotes for  $f(x) = \frac{\sqrt{x^2+1}}{2(x-3)}$ . Show ALL steps.

[12] horizontal asymptotes)

[10] 4a.) Find the derivative of f(x) = 2x + 3 by using the definition of derivative.

$$f'(x) =$$
\_\_\_\_\_

[3] 4b.) Find the **equation** of the tangent line to the curve f(x) = 2x + 3 when x = 1.

[10] 5.) Express the given quantity as a single logarithm.:

$$a \ln(x) + b \ln(y) - c \ln(z) - d \ln(1) =$$
\_\_\_\_\_

[7] 6.) Sketch the graph of a function with the following properties:

$$\begin{split} &\lim_{x \to 2^+} f(x) = +\infty, \\ &\lim_{x \to +\infty} f(x) = 0, \\ &\lim_{x \to -\infty} f(x) = 5 \\ &f'(-3) = 1, f'(0) = 0, f'(1) = -4 \end{split}$$



7.) If a ball is thrown vertically upward with a velocity of 16 ft/sec, then its height (in feet) is given by  $s(t) = 16t - 16t^2$ .

[7] 7a.) What is the maximum height reached by the ball?

[3] 7b.) Find a point  $(t_0, s(t_0))$  at which the slope of the tangent line to the curve  $s(t) = 16t - 16t^2$  is equal to 0:  $(t_0, s(t_0)) =$ 

## [10] Choose either problem 8 or 9. You may do both problems for up to 4 points extra credit.

8.) Let  $f: R \to R$ ,  $f(x) = (x-3)^2$ .

8a.) Is f 1:1? \_\_\_\_\_. If f is not 1:1, prove it.

b.) Is f onto? \_\_\_\_\_. If f is not onto, prove it.

9a.) State the Intermediate Value Theorem.

9b.) Use the Intermediate Value Theorem to show that  $\sqrt{x} - \frac{5}{2} = 0$  has a root between 4 and 9.